



### **Mining Success Stories**

## Si-Tec® Ceramic Bolt-On Wear Runners Increase Wear Life by 65%

### Mining Ore Flow Chutes Si-Tec® Ceramic Bolt-On Wear Runner

"Wear life for the wear runners improved by 65%, going from 17 days installed to 28 days"

### **Baseline:**

- . Mining chute that processes 100,000 tons per day
- Operating 365 days a year
- · Average life of brand X is 17 days
- Average rock size of 7.5 inches

#### Objective:

· Extend wear life of wear runners to decrease the number of shut downs for product wear

### Results:

- The Si-Tec®ceramic wear runners lasted 28 days (65% improvement), when they were changed due to a scheduled maintenance shut down
- · Provided additional wear life for other support liners
- · Longer wear life could reduce shut down frequencies

# This facility has chosen to use Spokane Si-Tec® ceramic wear runners throughout this location due to the improved wear life

PDF (/wp-content/uploads/2020/04/Customer-Success-14-Final.pdf)

### SPOKANE INDUSTRIES

OEM Steel Castings(/commercial-oem-steel-castings/)

Aggregate Wear Parts(/wear-parts-home/)

Mining Wear Castings(/mining-wear-parts/)

Investment Castings(https://spokaneprecisioncastings.com/)

### AGGREGATE WEAR PARTS

Home(/wear-parts-home/)

Si-Tec®(/si-tec/)

Impact Crushers(/impact-crushers/)

Success Stories(/success-stories/)

News(/news/)

Contact Us(/contact-us/)

### MINING WEAR CASTINGS

Home(/mining-wear-parts/)

Si-Tec®(/si-tec-mining/)

Wear Runners(/wear-runners/)

Chute Liners(/chute-liners/)

Universal Wear Liners(/universal-wear-liners/)

Customer Success(/mining-customer-success/)

Contact Us(/contact-us-mining/)

### INVESTMENT CASTINGS

Home(/precision-castings-home/)

Alloys(/precision-castings-alloys-spokane-industries/)

Process Overview(/precision-castings-process-overview/)

Contact Us(/precision-castings-contact-us/)

### **ABOUT**

Spokane Industries History(/spokane-industries-history)

Employment(/employment/)

Cookies and Privacy Policy(/cookie-and-privacy-policy)

© Spokane Industries, All Rights Reserved

IAt4 2VI 4g)

s/)